

OBLIX™ | PET Acoustical Ceiling Baffle

Distinctive lines create interesting simplicity. Oblix uses diagonal lines to offer a visually bold yet beautifully clean design solution to a variety of spaces – all while improving the acoustics of the space.



Proudly represented and distributed in Canada by:

ANC

a division of Wallworks Acoustic Architectural Products Inc. www.acousticnoisecontrol.com acousticnoisecontrol.info@gmail.com



SPECIFICATIONS

Standard Baffle Size (LxWxH): 47" x 47" x 12"

Weight: 16 lbs.

Fire Rating: Class A per ASTM E-84

FEATURES:

- Choice of 354 Colors
- Lightweight and Easy to Handle
- Modern Design
- Excellent Acoustical Values
- Repeatable Pattern

HARDWARE OPTIONS

Product can be installed with aircraft cable


ACOUSTICAL DATA


Frequency (Hz)	125	250	500	1000	2000	4000	SABINS
Oblix	1.17	11.31	15.60	21.20	28.71	33.39	

Frequency (Hz)	125	250	500	1000	2000	4000	NRC
Oblix	.43	.74	1.02	1.38	1.87	2.18	1.25

Based on Baffle size $4' \times 4'$ with Type "J" Mounting. Sabins are based on Sabins per Object, NRC is an equivalent number based on one face of one panel

INSTALLATION via Aircraft Cable (see installation document)







OBLIX™ PET Acoustical Ceiling Baffle

OBLIXTM

COMPOSITION:

- 100% Polyethylene Terephthalate (PET)
- 55% recycled content

ENVIRONMENTAL FACTORS:

- 100% recyclable
- Low VOC Emissions
- LEED MRc4



POLY-COUSTIX® BY SOUND SEAL

FINISHES









Smoke Beige



Taupe



Speckled Earth







Lava



Berry Red

55

Tangerine



Caramel



Espresso











Marigold

51 Sunkist Orange

Yellow

Green Apple

Moss

Avocado

Dark Green







Blue



Azure



Denim





Deep Blue



Eggplant

Emerald



Arctic Ice













